

January 2023 Release

#	Feature	Version	Whats New	Details	Reference URL
1	Anypoint Connector - NetSuite Connector - (Mule 4)	11.7.9	N/A	<p>W-12412287-W-12244102: Metadata load logging is now enhanced.</p> <p>W-12135181-W-12135186-W-12244824: The overall stability and performance of the connector is improved.</p>	https://docs.mulesoft.com/release-notes/connector/netsuite-connector-release-notes-mule-4#11-7-9
2	RPA Manager	N/A	<ul style="list-style-type: none"> The password reset email now shows information about appending the 2FA token for users that have 2FA enabled. The initial mail sent to the first administrator user of an organization now contains more information about their role and responsibilities. Added a new Activity Parameter of type OAuth credentials. Now, RPA Manager explicitly declares time zones if they differ from the logged user's time zone. 	<p>W-12421442: Process Streaming now properly shows the process execution.</p> <p>W-12367549: Two-Factor-Authentication (2FA) can now be deactivated for other users.</p> <p>W-12288330: List views now load properly and show their containing entities.</p> <p>W-12141693: Published OpenAPI specifications to Anypoint Exchange no longer contain a wrong required specification.</p> <p>W-12148933: Invokable run configurations are no longer configurable from the Deployment Map.</p> <p>W-12186972: The team members of a process are now shown in the process' tile.</p> <p>W-12194534: The user's configurations are now properly saved in their workspace.</p>	https://docs.mulesoft.com/release-notes/rpa-manager/rpa-manager-release-notes#january-26-2023
3	Anypoint Connector - Salesforce Connector - (Mule 4)	10.16.7	N/A	<p>W-12388702: The connector no longer shows the Found connection error but reconnection is already in progress warning after consecutive network-related errors.</p> <p>W-12443473: The Open CSV library is upgraded to version 5.7.1 to address reported security vulnerabilities.</p>	https://docs.mulesoft.com/release-notes/connector/salesforce-connector-release-notes-mule-4#10-16-7
4	Anypoint Connector - SAP S/4HANA OData Connector - (Mule 4)	2.5.3	N/A	<p>W-12064688: In case of error, the connector now responds to the original error response received from SAP.</p> <p>W-12284444: Pagination now returns the correct number of items in the payload.</p>	https://docs.mulesoft.com/release-notes/connector/sap-s4-hana-connector-release-notes-mule-4#2-5-3
5	MUnit	2.3.15	<ul style="list-style-type: none"> This release fixes bugs and upgrades some dependencies to address reported security vulnerabilities. 	<p>W-11259125: Error is no longer thrown as a consequence of wrong output DataType assumption in assert-equals if expected value is XML type.</p> <p>W-12233676: MUnit no longer throws a DataSense flagging error with MunitTools::getResourceAsString.</p> <p>W-11928227: Parameters are now cleared correctly after the execution of a suite test.</p> <p>W-12065358: MUnit upgrades dependencies to address reported security vulnerabilities.</p>	https://docs.mulesoft.com/release-notes/munit/munit-2.3.15-release-notes
6	Anypoint Partner Manager 2.x	2.15.0	<ul style="list-style-type: none"> You can now update endpoint configurations and deploy the changes with simple steps. Note: Before making endpoint updates, you must upgrade your runtime templates to the latest version. Inbound HTTP endpoint applications now return the unique Partner Manager transmission ID in the HTTP response header, x-apm-trx-id. Partner Manager is now compatible with Mule runtime 4.4. Note: To deploy your applications with Mule runtime 4.4, you must explicitly select Mule runtime 4.4 in the Use latest version option in the Partner Manager Settings page. Seconds are now shown in transmission and message views. Improvements in overall UI and cache performance in runtime applications for environments with a high volume of partners. 	<p>W-10979350: EDIFACT Write errors now display in the Activity view.</p> <p>W-11625856: The HTTP outbound endpoint now sets the proper EDI content-type for acknowledgements.</p> <p>W-12353584: DPS now successfully processes message flows for message types that contain many message flows.</p> <p>W-11762359: API /endpoints operation now works as expected when sending the id field in the request body.</p> <p>W-11836174: Pagination headers in endpoints are now forwarded as expected.</p> <p>W-12390876: You can now open activities and endpoint details in orgs that contain many transmissions and endpoints.</p> <p>W-12276355: New endpoints are now shown on the partners view without having to refresh the window.</p> <p>W-12273189: Incremental numbers for keystore names are now displayed correctly.</p> <p>W-11989574: Message types with empty mappings can no longer be created.</p> <p>W-10728666 / W-10550424 : Granular permissions are now handled properly in the UI.</p>	https://docs.mulesoft.com/release-notes/partner-manager/anypoint-partner-manager-2.0-release-notes#2-15-0
7	Anypoint Connector - Salesforce Marketing Cloud Connector - (Mule 4)	3.2.11	N/A	<p>W-12404291: The connector no longer throws an error when filtering null values.</p> <p>W-12390525: The Apache CXF Core dependency is upgraded to version 3.5.5 to fix reported security vulnerabilities.</p> <p>W-12390525: The Commons-IO dependency is upgraded to version 2.11.0 to fix reported security vulnerabilities.</p>	https://docs.mulesoft.com/release-notes/connector/salesforce-mktg-connector-release-notes-mule-4#3-2-11

#	Feature	Version	Whats New	Details	Reference URL
8	Anypoint Exchange	N/A	<ul style="list-style-type: none"> The documentation now uses more inclusive language. The product now uses more inclusive language. Exchange now includes the GraphQL API asset type. <p>A GraphQL API allows a client to fetch only the object types and fields needed instead of fetching a fixed response like in a REST API.</p> <p>A new Creator permission gives users the Asset Administrator role for the assets they create but restricts modifying assets or asset versions created by other users in the business group. For details, see Set User Access Permissions.</p>	N/A	https://docs.mulesoft.com/release-notes/exchange/anypoint-exchange-release-notes#january-2023
9	RPA Bot	1.1.6	<ul style="list-style-type: none"> Improved the packaging process to reduce package size and network traffic. Improved wording to provide clearer messages in Bot Configurator. RPA Bot now includes a trace header (x-trace-id) in all REST requests for better traceability. This header shows in all REST calls logged in debug mode. 	<p>W-12250345: RPA Bot now successfully executes all Invokable processes, no longer causing process instances to stop working on RPA Manager.</p> <p>W-11697767: RPA Bot now verifies the integrity of downloaded .zip packages by checking for common threats, file size limits, and valid content structure.</p> <p>W-11346639: Requesting a log file package no longer marks the task result as failed if it was successful.</p> <p>W-11680817: RPA Bot no longer causes an error when RPA Manager tries to restart an invokable process that filed its execution on the bot.</p>	https://docs.mulesoft.com/release-notes/rpa-bot/rpa-bot-1.1.6-release-notes
10	RPA Builder	6.1.1	<ul style="list-style-type: none"> The new Mail Session (Outlook with OAuth) Action Step enables you to establish a connection to a mail server using MS Outlook and authenticate using OAuth to perform mail operations such as reading, sending, and changing emails. The new Credentials for OAuth Action Step enables you to generate OAuth credentials at runtime and reuse them within other Action Steps in the Workflow. The Combine String Action Step now supports 20 substrings as inbound variables. The Tables with AWS and Key values with AWS Action Steps now include a Confidence attribute in the JSON output. The Generate and Modify Date and Time Action Step outputs three new variables to allow easier comparison between dates: <ul style="list-style-type: none"> Elapsed days: Contains the days elapsed from 01/01/01 at 00:00 to the defined date at 00:00. The result is in whole days. Elapsed hours: Contains the hours elapsed from 01/01/01 at 00:00 to the defined date and hour (Xh:00min). The result is in whole days and hours. Elapsed minutes: Contains the minutes elapsed from 01/01/01 at 00:00 to the defined date, hour and minutes (Xh:XXmin). The result is in whole days, hours, and minutes. The new OAuth Credentials activity parameter enables you handle OAuth credentials across multiple activities of a process. 	<p>W-11507122: The Process Run notification window now displays in the proper screen position.</p> <p>W-11643883: Excel Session Actions Step no longer fails to write data when an Excel Session is reading and a nested Excel Session is writing.</p> <p>W-11468915: The Export from Activity Library dialog now properly shows the Workflow Name and Description values and enables you to edit them before exporting a workflow.</p> <p>W-11515249: The Activity Parameters Wizard now shows the help button (?) that links to the documentation.</p> <p>W-11623542: Web Session (MS Edge) Action Step no longer shows an incorrect warning message when using multiple transactions that share a WebSession ID.</p> <p>W-11864908: The Message Box Action Step Wizard now validates that the values in the Title and Text fields are not empty.</p> <p>W-11983243: The JSON output from Document Processing Action Steps that use AWS Extract now contains text entries in the same order as they were processed in the document.</p> <p>W-11769277: The Read PDF File Action Step now shows an error message when Read text in selected area is selected and an invalid area is defined.</p> <p>W-11395408: Workflows no longer fail to execute when the Keystrokes to Web Element Action Step specifies a long value in Input Text.</p> <p>W-11789843: RPA Builder no longer shows an error when</p>	https://docs.mulesoft.com/release-notes/rpa-builder/rpa-builder-6.1.1-release-notes
11	Anypoint Connector - IBM MQ Connector - (Mule 4)	1.6.17	N/A	W-12189382: The IBM MQ Connector Publish operation no longer fails when a connectivity error occurs.	https://docs.mulesoft.com/release-notes/connector/connector-ibm-mq#1-6-17
12	Anypoint Connector - JMS Connector - (Mule 4)	1.8.7	N/A	W-12302934: The JMS Connector Publish operation no longer fails reconnecting on ConnectionFailedException .	https://docs.mulesoft.com/release-notes/connector/connector-jms#1-8-7
13	JSON Module - (Mule 4)	2.4.0	<ul style="list-style-type: none"> The Validate Schema operation now supports these schema versions: Draft-06, Draft-07, Draft 2019-09, and Draft 2020-12. JSON module now provides a more detailed error response that returns an array of validation errors. 	N/A	https://docs.mulesoft.com/release-notes/connector/json-module-release-notes#2-3-0
14	Anypoint Connector - Microsoft Dynamics 365 Business Central Connector - (Mule 4)	1.0.2	N/A	W-12134922: The overall stability and performance of the connector is improved.	https://docs.mulesoft.com/release-notes/connector/microsoft-dynamics-365-business-central-connector-release-notes-mule-4#1-0-2

#	Feature	Version	Whats New	Details	Reference URL
15	Anypoint Connector - X12 EDI Connector - (Mule 4)	2.9.2	N/A	<p>W-11221387: Element ST03 (Implementation Convention Reference) from transaction 835 and version 005010X221A1 now has the usage U (Unused) instead of O (Optional).</p> <p>W-12219376: Element GS04 (Date) is now written with the correct format, YYMMDD, in version 003070 and in earlier versions.</p> <p>W-12270419: Envelope segments (ISA, IEA, GS, GE, ST, SE) are now obtained from the schema definition, if present. If the envelope segments are not in the schema definition, the connector uses hard-coded segments.</p>	https://docs.mulesoft.com/release-notes/connector/x12-edi-connector-release-notes-mule-4#2-9-2
16	API Designer (Crowd)	2.51.0	<ul style="list-style-type: none"> API Designer displays an error message when you publish an asset with invalid values in the `Business Group ID, Asset ID, or Asset name` fields in the Publishing to Exchange dialog. You can now see the correct information when clicking the Exchange tab on the sidebar in the read-only asset page. You can now use control + F to search for strings in a project with errors without crashing the browser. The exchange tab is no longer visible when viewing code from Exchange. The Design Center User Interface is updated for better accessibility. 	<p>W-11323805: The example data field is now null in the API Designer documentation when a string property is defined with the nullable field set to `true` for an OAS 3.0 specification.</p> <p>W-12019663: You can now use the < and > characters when defining an enum property without them being validated as XML characters for a RAML 1.0 specification.</p> <p>W-12039245: The API console now shows the correct data when using the discriminator field in the definition of a JSON schema.</p> <p>W-12099989: You can now convert a RAML 1.0 API specification to OAS 3.0 when defining a union type with null values.</p>	https://docs.mulesoft.com/release-notes/design-center/design-center-release-notes-api_specs#2-51-0
17	Anypoint Access Management	N/A	<ul style="list-style-type: none"> The following pages now have sections showing limits imposed by Anypoint Platform: Business groups (including the page for your root organization) Users Teams Roles SAML identity providers Note that this feature is available only if you have enabled the New Features Access Management user interface. 	N/A	https://docs.mulesoft.com/release-notes/access-management/access-management-release-notes#january-18-2023
18	API Manager	2.4.9	<p>For API Instances, the Implementation URI and Consumer endpoint fields now:</p> <ul style="list-style-type: none"> Validate if the specified URL is a valid URL. Support parameterization using {}, <>, or <<>>. 	N/A	https://docs.mulesoft.com/release-notes/api-manager/api-manager-release-notes#2-4-9
19	Anypoint Platform Private Cloud Edition	3.2.0	<ul style="list-style-type: none"> This version of Anypoint Platform Private Cloud Edition (Anypoint Platform PCE) contains security and vulnerability fixes, accessibility improvements, and the following features and enhancements: API Platform Support for OAS 3.0. Access Management Support for multiple external identity providers (IdPs). 	N/A	https://docs.mulesoft.com/release-notes/pce/anypoint-private-cloud-3.2.0-release-notes
20	CloudHub	1.106.0	<p>This release includes the following changes:</p> <ul style="list-style-type: none"> The Dedicated Load Balancer API provides previous image information after restarts or updates. 	<p>W-10569133: You can no longer configure firewall rules for ports below 1024. This is strictly enforced. For more information, see VPC Firewall Rules.</p>	https://docs.mulesoft.com/release-notes/cloudhub/cloudhub-release-notes#1-106-0
21	CloudHub 2.0	2	<ul style="list-style-type: none"> The Create VPN Connection > Advanced Options UI has changed. When you select custom tunnel configuration, you must provide values for all four fields: Inside IP CIDRs Tunnel 1 Tunnel 2 Pre-Shared Keys Tunnel 1 Tunnel 2 Previously, these settings were optional. 	<p>W-12165021: Selecting a custom CIDR for a firewall rule now works correctly.</p> <p>W-12077102: The VPN configuration UI now validates tunnel settings.</p> <p>W-12076991: You can now delete internal DNS servers from Private Spaces > Private network.</p> <p>W-12212180: Detaching a transit gateway previously attached to multiple private spaces now works correctly.</p> <p>If you are unable to detach an existing transit gateway, remove it from your Anypoint Platform organization, and then recreate and attach it to a private space. For information about removing the transit gateway from Anypoint Platform, see the CloudHub 2.0 API on Exchange. For information about recreating the transit gateway attachment, see Creating Transit Gateway Attachments.</p>	https://docs.mulesoft.com/release-notes/cloudhub-2/cloudhub-2-release-notes#january-12-2023
22	Anypoint Connector - Twilio Connector - (Mule 4)	4.2.6	N/A	<p>W-11798920: The On New Message source now sends only new messages to the flow.</p>	https://docs.mulesoft.com/release-notes/connector/twilio-connector-release-notes-mule-4#4-2-6

#	Feature	Version	Whats New	Details	Reference URL
23	Anypoint Connector - SAP Connector - (Mule 4)	5.7.0	<ul style="list-style-type: none"> You can now achieve SAP SNC with Kerberos using the new Kerberos connection type. 	N/A	https://docs.mulesoft.com/release-notes/connector/sap-connector-release-notes-mule-4#5-7-0
24	Anypoint Platform Private Cloud Edition	3.0.4	<ul style="list-style-type: none"> Multiple reported security vulnerabilities for PCE components are now fixed. Multiple reported security vulnerabilities for AMF, Design Center, and Mocking services are now fixed. 	W-12176701: Backup and restore operations now work correctly when application file names include spaces.	https://docs.mulesoft.com/release-notes/pce/anypoint-private-cloud-3.0.4-release-notes
25	Anypoint Exchange	N/A	<ul style="list-style-type: none"> The documentation now uses more inclusive language. The product now uses more inclusive language. Exchange now includes the GraphQL API asset type. A GraphQL API allows a client to fetch only the object types and fields needed instead of fetching a fixed response like in a REST API. A new Creator permission gives users the Asset Administrator role for the assets they create but restricts modifying assets or asset versions created by other users in the business group. 	N/A	https://docs.mulesoft.com/release-notes/exchange/anypoint-exchange-release-notes#january-2023
26	CloudHub 2.0 Runtime and Operating System Patch Update	4.3.0	N/A	<p>4.3.0:</p> <p>W-11929632 : Distributed locks are now released properly when a policy is disabled.</p> <p>W-11985583: The error Can't perform operation on 'Object_store'. ObjectStore not initialized no longer occurs when a redelivery policy that points to an object store is declared as a top level element.</p> <p>W-11825409: Setting a variable with a null value inside a Batch Aggregator component no longer fails with a NullPointerException.</p> <p>W-12049036: The use of HTTP Insecure mode in a connector no longer fails with a NullPointerException.</p> <p>W-11529823: The Idempotent Validation filter now cascades object store exceptions. Using the filter on Mule version 4.4 or earlier requires the property <code>mule.rethrowExceptionsInIdempotentMessageValidator=true</code>.</p> <p>W-12113550: The XML SDK's implicit configuration creation is disabled by default.</p> <p>W-12068528: The Tanuki wrapper is upgraded to 3.5.51.</p> <p>DataWeave:</p> <p>W-12036336: The FlatFile module now provides a reader property, <code>retainEmptyStringFieldsOnParsing</code>, for handling fields that lack values. When set to true, this property makes the reader retain these fields and set their values to an empty string. The default behavior of the reader is to remove those fields.</p>	https://docs.mulesoft.com/release-notes/cloudhub-2/cloudhub-2-runtimes-release-notes#january-10-2023
27	CloudHub 2.0 Runtime and Operating System Patch Update	4.4.0	<ul style="list-style-type: none"> Updated to the latest version of the underlying operating system. 	<p>4.4.0 :</p> <p>W-11920598: Change <code>mule.enable.byteBuddy.objectCreation</code> default value to false. If set to true, it will prevent race conditions during parallel deployments. - Race conditions, which can make deployments fail, no longer occur when running parallel deployments.</p> <p>W-11932094: The Scatter-Gather router no longer throws the exception <code>UnsupportedOperationException</code> when variables are set by <code>Db::prepareArray</code> or <code>Db::prepareStruct</code>.</p> <p>W-11929632: Distributed locks are now released properly when a policy is disabled.</p> <p>W-11985583: The error Can't perform operation on 'Object_store'. ObjectStore not initialized no longer occurs when a redelivery policy that points to an object store is declared as a top level element.</p> <p>W-11493901: An issue that prevented access to the <code>SecureContext</code> of a policy inside of a Batch component no longer occurs.</p> <p>W-11825409: Setting a variable with a null value inside a Batch Aggregator component no longer fails with a NullPointerException.</p> <p>W-12049036: The use of HTTP Insecure mode in a connector no longer fails with a NullPointerException.</p> <p>W-11410770: Authorization of the OAuth dance no longer hangs when a custom object store uses a Redis cache.</p>	https://docs.mulesoft.com/release-notes/cloudhub-2/cloudhub-2-runtimes-release-notes#january-10-2023

#	Feature	Version	Whats New	Details	Reference URL
28	APIkit for SOAP	1.3.1	<ul style="list-style-type: none"> This release fixes bugs and removes unused dependencies. 	<p>W-12221453: Charset propagation now works as expected when router executes flows.</p> <p>W-12011863: Variables are handled correctly when routed flows result in a fault message.</p>	https://docs.mulesoft.com/release-notes/apikit/apikit-for-soap-1.3.1
29	CloudHub Runtime and Operating System Patch	4.3.0	N/A	<p>W-11929632: Distributed locks are now released properly when a policy is disabled.</p> <p>W-11985583: The error Can't perform operation on 'Object_store'. ObjectStore not initialized no longer occurs when a redelivery policy that points to an object store is declared as a top level element.</p> <p>W-11825409: Setting a variable with a null value inside a Batch Aggregator component no longer fails with a NullPointerException.</p> <p>W-12049036: The use of HTTP Insecure mode in a connector no longer fails with a NullPointerException.</p> <p>W-11529823: The Idempotent Validation filter now cascades object store exceptions. Using the filter on Mule version 4.4 or earlier requires the property <code>mule.rethrowExceptionsInIdempotentMessageValidator=true</code>.</p> <p>W-12113550: The XML SDK's implicit configuration creation is disabled by default.</p> <p>W-12068528: The Tanuki wrapper is upgraded to 3.5.51.</p> <p>DataWeave:</p> <p>W-12036336: The FlatFile module now provides a reader property, <code>retainEmptyStringFieldsOnParsing</code>, for handling fields that lack values. When set to true, this property makes the reader retain these fields and set their values to an empty string. The default behavior of the reader is to remove those fields.</p>	https://docs.mulesoft.com/release-notes/cloudhub/cloudhub-runtimes-release-notes#january-11-2023
30	CloudHub Runtime and Operating System Patch	4.4.0	<ul style="list-style-type: none"> Updated to the latest operating system security patches. <p>3.9.x, 4.1.x, 4.2.x, 4.3.0, and 4.4.0 Runtime Updates</p>	<p>W-11920598: Change <code>mule.enable.byteBuddy.objectCreation</code> default value to false. If set to true, it will prevent race conditions during parallel deployments.</p> <p>4.4.0:</p> <p>W-11920598: Race conditions, which can make deployments fail, no longer occur when running parallel deployments.</p> <p>W-11932094: The Scatter-Gather router no longer throws the exception <code>UnsupportedOperationException</code> when variables are set by <code>Db::prepareArray</code> or <code>Db::prepareStruct</code>.</p> <p>W-11929632: Distributed locks are now released properly when a policy is disabled.</p> <p>W-11985583: The error Can't perform operation on 'Object_store'. ObjectStore not initialized no longer occurs when a redelivery policy that points to an object store is declared as a top level element.</p> <p>W-11493901: An issue that prevented access to the <code>SecureContext</code> of a policy inside of a Batch component no longer occurs.</p> <p>W-11825409: Setting a variable with a null value inside a Batch Aggregator component no longer fails with a NullPointerException.</p> <p>W-12049036: The use of HTTP Insecure mode in a connector no longer fails with a NullPointerException.</p> <p>W-11410770: Authorization of the OAuth dance no longer hangs when a custom object store uses a Redis cache.</p>	https://docs.mulesoft.com/release-notes/cloudhub/cloudhub-runtimes-release-notes#january-11-2023
31	Anypoint Connector - SAP SuccessFactors Connector - Mule 4	4.1.7	N/A	<p>W-12283628: Query pagination now fetches all items.</p>	https://docs.mulesoft.com/release-notes/connector/sap-successfactors-connector-release-notes-mule-4#4-1-7
32	Anypoint Platform Command-Line Interface 4.x	1.1.0	<ul style="list-style-type: none"> The new API Governance plugin is added to apply governance rules to your APIs. 	<p>W-12128681: The <code>api-mgr:api:manage</code> command now works as expected.</p> <p>W-12165914: The <code>runtime-mgr:cloudhub-application:copy</code> command now works as expected.</p> <p>W-12167960: You can now use the <code>runtime-mgr:cloudhub-application:copy</code> command with targets with static IPs.</p> <p>W-12221558: You can now use the <code>api-mgr:api:describe</code> command with deployment target IDs from Hybrid, Flex, and Runtime Fabric APIs.</p> <p>W-12270382: You can now use the <code>--categories</code> flag while using the <code>exchange:asset:upload</code> and <code>exchange:asset.mutableDataUpload</code> commands.</p>	https://docs.mulesoft.com/release-notes/cli/anypoint-platform-cli-4#1-1-0
33	Anypoint Connector - Azure Key Vault Connector - Mule 4	1.0.1	N/A	<p>W-12272032: Updated internal dependencies.</p>	

#	Feature	Version	Whats New	Details	Reference URL
34	Azure Key Vault Properties	1.0.1	N/A	W-12272032: Updated internal dependencies.	https://docs.mulesoft.com/release-notes/connector/azure-key-vault-properties-provider-release-notes-mule-4#1-0-1
35	Anypoint Connector - Database Connector - Mule 4	1.14.0	N/A	W-12167736: Database Connector now supports adding the template cache size in the Cache Query Template Size field of the connector configuration.	https://docs.mulesoft.com/release-notes/connector/connector-db#1-14-0
36	Anypoint Runtime Fabric Patch Update	4.3.0	N/A	<p>W-11929632: Distributed locks are now released properly when a policy is disabled.</p> <p>W-11985583: The error Can't perform operation on 'Object_store'. ObjectStore not initialized no longer occurs when a redelivery policy that points to an object store is declared as a top level element.</p> <p>W-11825409: Setting a variable with a null value inside a Batch Aggregator component no longer fails with a NullPointerException.</p> <p>W-12049036: The use of HTTP Insecure mode in a connector no longer fails with a NullPointerException.</p> <p>W-11529823: The Idempotent Validation filter now cascades object store exceptions. Using the filter on Mule version 4.4 or earlier requires the property <code>mule.rethrowExceptionsInIdempotentMessageValidator=true</code>.</p> <p>W-12113550: The XML SDK's implicit configuration creation is disabled by default.</p> <p>W-12068528: The Tanuki wrapper is upgraded to 3.5.51.</p> <p>DataWeave:</p> <p>W-12036336: The FlatFile module now provides a reader property, <code>retainEmptyStringFieldsOnParsing</code>, for handling fields that lack values. When set to true, this property makes the reader retain these fields and set their values to an empty string. The default behavior of the reader is to remove those fields.</p>	https://docs.mulesoft.com/release-notes/runtime-fabric/runtime-fabric-runtimes-release-notes#january-10-2023
37	Anypoint Runtime Fabric Patch Update	4.4.0	N/A	<p>4.4.0</p> <p>W-11920598: Change <code>mule.enable.byteBuddy.objectCreation</code> default value to false. If set to true, it will prevent race conditions during parallel deployments.</p> <p>W-11932094: The Scatter-Gather router no longer throws the exception <code>UnsupportedOperationException</code> when variables are set by <code>Db::prepareArray</code> or <code>Db::prepareStruct</code>.</p> <p>W-11929632: Distributed locks are now released properly when a policy is disabled.</p> <p>W-11985583: The error Can't perform operation on 'Object_store'. ObjectStore not initialized no longer occurs when a redelivery policy that points to an object store is declared as a top level element. W-11493901: An issue that prevented access to the SecureContext of a policy inside of a Batch component no longer occurs.</p> <p>W-11825409: Setting a variable with a null value inside a Batch Aggregator component no longer fails with a NullPointerException.</p> <p>W-12049036: The use of HTTP Insecure mode in a connector no longer fails with a NullPointerException.</p> <p>W-11410770: Authorization of the OAuth dance no longer hangs when a custom object store uses a Redis cache.</p> <p>W-11529823: The Idempotent Validation filter now cascades object store exceptions. Using the filter on Mule version 4.4 or earlier requires the property <code>mule.rethrowExceptionsInIdempotentMessageValidator=true</code>.</p> <p>W-12113550: The XML SDK's implicit configuration creation is disabled by default.</p> <p>W-12234425: A fix to <code>IllegalArgumentException</code> handling prevents events from getting stuck in a For Each scope when an expression evaluates to a Map.</p>	https://docs.mulesoft.com/release-notes/runtime-fabric/runtime-fabric-runtimes-release-notes#january-10-2023
38	Anypoint Connector - ServiceNow Connector - Mule 4	6.13.0	• ServiceNow Connector now supports the Tokyo release.	N/A	https://docs.mulesoft.com/release-notes/connector/servicenow-connector-release-notes-mule-4#6-13-0
39	Anypoint Connector - Web Service Consumer Connector - Mule 4	1.7.2	N/A	W-12276489: Internal dependencies that fix vulnerability issues are updated.	https://docs.mulesoft.com/release-notes/connector/connector-wsc#1-7-2
40	XML Module - Mule 4	1.4.0	• The Validate schema operation's new field, Schema contents , supports the direct text input of a schema. This enables you to perform a schema validation.	N/A	https://docs.mulesoft.com/release-notes/mule-runtime/module-xml#1-4-0
41	APIkit for Mule 4	1.8.1	• This release updates dependencies.	N/A	https://docs.mulesoft.com/release-notes/apikit/apikit-4.1.8.1-release-notes